	POPULATION	N ESTIMAT	ES	LON	NG-TERM CARE		LOCAL HEA	LTH DEPARTM	MENTS Per
Populati	ion per sq	uare mile	54,910 71	Community Opti as HSRS report	ts costs for	· services	Staffing - FTE Total staff	Number 8.1	10,000 Population
Age 0-14	1,390 1,650 1,980 2,340	Male		COP MA Waiver * CIP1A CIP1B CIP2 COP-W CLTS Brain Injury Total COP/Wvrs	13 146 13 131 17 5 336	\$1,189,912 \$4,402,753 \$181,162 \$1,681,378 \$56,147 \$368,497 \$8,055,822	Total staff Administrative Public health nur Other prof. staff Technical/Parapro Support staff Funding Total Local Taxes	\$687,528 \$246,985	Per capita \$12.59 \$4.52
55-64	2,950	2,960	5,910	\$497,120 of	the above	waiver costs			
	1,560	1,740 1,150 380 27,770	3,740 2,700 1,270 54,910	were páid as using COP fur not included	nds. This a in above CO	umount is OP costs.	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	Capacity 79 2,714 1,903	Facilities 23 19 72
18-44	6,070 9,560	Male 6,360 10,710	Total 12,420 20,250	* Waiver cost include fede	eral funding Clients	Costs	Tourist Rooming Pools Restaurants Vending	47	17 55 309 4
45-64 65+ Total	7,070 4,460 27,140	7,440 3,270 27,770	14,520 7,710 54,910	Eligible and Waiting (Family Care r			 	RTICIPANTS	
1	Estimates Est Est es 2 -17	imata	(C.I.+/-) 171 (6%) 86 (10%)	Note: Eligible will be phas Waivers as a	·	• ,	Pregnant/Postpart Infants Children, age 1-4 Total	um	Number 384 437
Average wa	age for jol Dyment comp	os covere pensation	\$28,409	Home Health Ag Patients Patients per Nursing Homes Licensed beds	gencies 10,000 pop.	1 740 135 5 512	Primary Site Breast Cervical Colorectal Lung and Bronchus Prostate Other sites	·	903) 41 6 38 40 45 105
Number Number Unemp]	employed unemployed loyment ra	d te	30,158 1,451 4.6%	Nursing Homes Licensed beds Occupancy rat Residents on Residents age per 1,000 pc	Dec.31 e 65 or olde opulation	452 er 56	Total Note: Totals shown invasive can		275

				- NATAI	TTY					
TOTAL LIVE BIRTHS		637	Birth Order		Births	Percent	Marital	Status		
TOTAL LIVE BIRTHS		007	First		262	41	of Moth		Births	Percent
Crude Live Birth Rate		11.6	Second		213	33	Marrie		490	77
General Fertility Rate			Third		111	17	Not ma	rried	147	23
delicial relicitity hat	C	55.7	Fourth or h	igher	51	17 8 0	Unknow	n Icu	177	0
Live hirths with renov	rtad		Unknown	itgilei	0	0	OHKHOW	11	U	U
Live births with report congenital anomalies	1 164	6 0 5%	OHKHOWH		U	U	Educati	on		
Congenital anomalies	ı	0 2.5%					of Moth		Births	Percent
Dolivony Type	Dintho	Donoont	1at Danatal	\/i o i +	Dintho	Donoont				
Delivery Type	BTLILIS	Percent	1st Prenatal			Percent	ETellieli	tary or les	s 22	3 8
Vaginal after	40	0	1st trimest		536	84	Some n	igh school	50	
_previous cesarean	10	2	2nd trimest 3rd trimest	er	78	12	High s	chool ollege	205 173	32
previous cesarean Forceps Other vaginal Primary cesarean	12	_2	3rd trimest	er	78 22 1 0 Births	3	Some c	ottede .	1/3	27
Other vaginal	463	73	No visits		1	<.5	Coffed	e graduate n	186	29
Primary cesarean	78	12	Unknown		0	0	Unknow	n	1	<.5
Repeat cesarean	74	12								
				.ts			Smoking	Status		_
Birthweight	Births	Percent	No visits		1	<.5	of Moth	er	Births	Percent
<1,500 gm	5	0.8	1-4		12	2	Smoker		103	16
1,500-2,499 gm	30	4.7	5-9		139	22	Nonsmo	ker	534	84
2,500+ gm	602	94.5	10-12		286	45	Unknow	n	0	0
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	0	0	13+		194	30				
			Unknown		5	1				
l .										
			Low Birthweigh	it		Trimest	er of Fir	st Prenatal	Visit	
			(under 2 500 c	ım)	1st Tr	imester	2nd Tr	imester	Other/	Unknown
Race/Ethnicity	Births P	ercent	(under 2,500 g Births Percer	ım)	1st Tr Births	imester	2nd Tr	imester	Other/	Unknown Percent
Race/Ethnicity White	Births P	Percent 94	(under 2,500 g Births Percer	m) it	Births 511	imester Percent 85	2nd Tr Births 68	imester	Other/ Births 20	Unknown Percent 3
Race/Ethnicity White Black/Afr.American	Births P 599 2	Percent 94 <.5	(under 2,500 g Births Percer	m) it	Births 511 *	imester Percent 85	2nd Tr Births 68 *	imester Percent 11	Other/	Percent
Race/Ethnicity White Black/Afr.American American Indian	Births P 599 2 8	Percent 94 <.5 1	(under 2,500 g Births Percer	lm) it !	Births 511 * 5	imester Percent 85 63	2nd Tr Births 68	imester Percent 11 38	Other/ Births 20 *	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino	Births P 599 2 8 23	Percent 94 <.5 1 4	(under 2,500 g Births Percer	lm) it !	Births 511 *	imester Percent 85	2nd Tr Births 68 *	imester Percent 11	Other/ Births 20	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong	Births P 599 2 8 23 0	Percent 94 <.5 1 4	(under 2,500 g Births Percer	m) t !	Births 511 * 5 14	imester Percent 85 63 61	2nd Tr Births 68 * 3	imester Percent 11 38 26	Other/ Births 20 *	Percent 3
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	Births P 599 2 8 23 0	Percent 94 <.5 1 4 0	(under 2,500 g Births Percer	m) t !	Births 511 * 5	imester Percent 85 63	2nd Tr Births 68 * 3	imester Percent 11 38	Other/ Births 20 *	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	Births P 599 2 8 23 0 5	94 <.5 1 4 0 1	(under 2,500 g Births Percer 31 5.2 *	m) t : 	Births 511 * 5 14	imester Percent 85 63 61 80	2nd Tr Births 68 * 3 6	imester Percent 11 38 26 20	Other/Births 20 *	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	599 2 8 23 0 5	94 <.5 1 4 0 1	(under 2,500 g Births Percer 31 5.2 *	m) t :	Births 511 * 5 14	imester Percent 85 63 61 80	2nd Tr Births 68 * 3 6	imester Percent 11 . 38 26 . 20 st Prenatal	Other/Births 20 * 3 . Visit	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	599 2 8 23 0 5	94 <.5 1 4 0 1	(under 2,500 g Births Percer 31 5.2 *	m) t : 	Births 511 * 5 14 4 	imester Percent 85 . 63 61 . 80 Trimest	2nd Tr Births 68 * 3 6 1 	imester Percent 11 . 38 26 . 20 st Prenatal	Other/Births 20 * . 3	Percent 3 13 Unknown
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	599 2 8 23 0 5	94 <.5 1 4 0 1	(under 2,500 g Births Percer 31 5.2 *	m) t : 	Births 511 * 5 14 4 	imester Percent 85 63 61 80	2nd Tr Births 68 * 3 6 1 	imester Percent 11 . 38 26 . 20 st Prenatal	Other/Births 20 * . 3	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	599 2 8 23 0 5 	94 <.5 1 4 0 1 	(under 2,500 g Births Percer 31 5.2 *	m) t : 	Births 511 * 5 14	imester Percent 85 . 63 61 . 80 Trimest imester Percent	2nd Tr Births 68 * 3 6 1 er of Fir 2nd Tr Births	imester Percent 11 . 38 .26 . 20st Prenatal imester Percent .	Other/Births 20 * 3 Visit Other/Births	Percent 3 13 Unknown Percent
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother	599 2 8 23 0 5 	94 <.5 1 4 0 1 	(under 2,500 g Births Percer 31 5.2 *	m) t t m) t	Births 511 * 5 14	imester Percent 85 . 63 61 . 80 Trimest imester Percent . 56	2nd Tr Births 68 * 3 6 1 er of Fir 2nd Tr Births	imester Percent 11 . 38 .26 . 20st Prenatal imester Percent . 22	Other/Births 20 * 3 . Visit Other/Births 2	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	599 2 8 23 0 5 	94 <.5 1 4 0 1 	(under 2,500 g Births Percer 31 5.2 *	m) t t m) t	Births 511 * 5 14	imester Percent 85 . 63 61 . 80 Trimest imester Percent . 56 77	2nd Tr Births 68 * 3 6 1 er of Fir 2nd Tr Births 2	imester Percent 11 . 38 .26 . 20st Prenatal imester Percent	Other/Births 20 * 3 . Visit Other/Births 2	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	599 2 8 23 0 5 	94 <.5 1 4 0 1 	(under 2,500 g Births Percer 31 5.2 * 3 13.0 1 20.0 Low Birthweigh (under 2,500 g Births Percer 2 5.7 8 5.5	m) t t m) t	Births 511 * 5 14	imester Percent 85 . 63 61 . 80 Trimest imester Percent . 56	2nd Tr Births 68 * 3 6 1 er of Fir 2nd Tr Births	imester Percent 11 . 38 .26 . 20st Prenatal imester Percent	Other/Births 20 * * 33 Visit Other/Births 2 4	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	599 2 8 23 0 5 	94 <.5 1 4 0 1 	(under 2,500 g Births Percer 31 5.2 *	m) t t m) t	Births 511 * * 5 14	imester Percent 85 . 63 61 . 80 Trimest imester Percent . 56 77	2nd Tr Births 68 * 3 6 1 er of Fir 2nd Tr Births 2	imester Percent 11 . 38 .26 . 20st Prenatal imester Percent	Other/Births 20 * * 33 Visit Other/Births 2 4 6 3	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	599 2 8 23 0 5 	94 <.5 1 4 0 1 Prtility Rate 8 48 99 141	(under 2,500 g Births Percer 31 5.2 * 3 13.0 1 20.0 Low Birthweigh (under 2,500 g Births Percer 2 5.7 8 5.5 10 5.1	m) t t im) t	Births 511 * 5 14 . 4 1st Tr Births 5 27 108 177	imester Percent 85 . 63 61 . 80 Trimest imester Percent . 56 77 74 91	2nd Tr Births 68 * 3 6 1 er of Fir 2nd Tr Births 2 4 32 15	imester Percent 11 . 38 .26 . 20st Prenatal imester Percent	Other/Births 20 * 3 Visit Other/Births 2 4 6 3 3	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	599 2 8 23 0 5 	94 <.5 1 4 0 1 Prtility Rate 8 48 99 141 97	(under 2,500 g Births Percer 31 5.2 * 3 13.0 1 20.0 Low Birthweigh (under 2,500 g Births Percer 2 5.7 8 5.5 10 5.1 12 7.5	m) t t im) t	Births 511 * * 5 14 4 1st Tr Births 5 27 108 177 140	imester Percent 85 . 63 61 . 80 Trimest imester Percent . 56 77 74 91 88	2nd Tr Births 68 * 3 6 1 er of Fir 2nd Tr Births 2 4 32 15 17	imester Percent 11 . 38 .26 . 20st Prenatal imester Percent	Other/Births 20 * * 33 Visit Other/Births 2 4 6 3 3 3	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	599 2 8 23 0 5 	94 <.5 1 4 0 1 Prtility Rate 8 48 99 141 97 41	(under 2,500 g Births Percer 31 5.2 * 3 13.0 1 20.0 Low Birthweigh (under 2,500 g Births Percer 2 5.7 8 5.5 10 5.1 12 7.5 2 2.5	m) t t im) t	Births 511 * * 5 14	imester Percent 85 . 63 61 . 80 Trimest imester Percent . 56 77 74 91 88 89	2nd Tr Births 68 * 3 6 1 er of Fir 2nd Tr Births 2 4 32 15 17 7	imester Percent 11 . 38 .26 . 20st Prenatal imester Percent	Other/Births 20 * 3 Visit Other/Births 2 4 6 3 3 2	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	599 2 8 23 0 5 	94 <.5 1 4 0 1 Prtility Rate 8 48 99 141 97	(under 2,500 g Births Percer 31 5.2 * 3 13.0 1 20.0 Low Birthweigh (under 2,500 g Births Percer 2 5.7 8 5.5 10 5.1 12 7.5 2 2.5	m) t t im) t	Births 511 * * 5 14 4 1st Tr Births 5 27 108 177 140	imester Percent 85 . 63 61 . 80 Trimest imester Percent . 56 77 74 91 88	2nd Tr Births 68 * 3 6 1 er of Fir 2nd Tr Births 2 4 32 15 17	imester Percent 11 . 38 .26 . 20st Prenatal imester Percent	Other/Births 20 * * 33 Visit Other/Births 2 4 6 3 3 3	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	599 2 8 23 0 5 	94 <.5 1 4 0 1 	(under 2,500 g Births Percer 31 5.2 *	m) t t mm) t	Births 511 * 5 14 . 4 1st Tr Births 5 27 108 177 140 72 7 .	imester Percent 85 . 63 61 . 80 Trimest imester Percent . 56 77 74 91 88 89 64 .	2nd Tr Births 68 * 3 6 er of Fir 2nd Tr Births 2 4 32 15 17 7	imester Percent 11 . 38 .26 . 20st Prenatal imester Percent	Other/Births 20 * 33 Visit Other/Births 2 4 6 3 3 3 2 3 3	Percent 3

MORBIDITY							
REPORTED CASES OF SELECTED DISE	EASES*	neonatal, and Perinatal and	l postneor I fetal de	natal death eath rates	per 100,000 population. rates are per 1,000 liv are per 1,000 live birt culated for fewer than 2	/e births. ns plus	
Campylobacter Enteritis Giardiasis	Number 10 7 0	TOTAL DEATHS Crude Death Ra	ıte	496 903	Selected Underlying Cause Heart Disease (total)	133	Rate 242
Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C	<5 17	Age 1 - 4	Deaths	Rate	Ischemic heart diseas Cancer (total) Trachea/Bronchus/Lun	111 33	158 202 60
Legionnaire's Lyme	<5 20 0	5-14 15-19 20-34	2		Colorectal Female Breast	11 5	.*
Measles Meningitis, Aseptic Meningitis, Bacterial	<5 0	35 - 54 55 - 64	9 45 39	256 660	Cerebrovascular Diseas Lower Resp. Disease Pneumonia & Influenza	28	80 51
Mumps Pertussis	0 66	65 - 74 75 - 84	64 145	1,711 5,358	Accidents Motor vehicle	25 12	46
Salmonellosis Shigellosis Tuberculosis	10 <5 0	85+	188	14,838	Diabetes Infect./Parasitic Dis Suicide	9 . 4 8	
* 2004 provisional data.	J	Infant Mortality	Deaths	Rate	* Based on female popu	ılation.	•
** Includes all positive HBsAg test results.		Total Infant Neonatal Postneonatal	4 3 1	•	ALCOHOL AND DRUG ABUSI OR CONTRIBUTING CA		
Sexually Transmitted Disease		Unknown	•		Alcohol	8	
Chlamydia Trachomatis Genital Herpes Gonorrhea	112 16 15	Race of Mother White Black	3		Tobacco Use Other Drugs	89 7	162 •
Syphilis	0	Hispanic Laotian/Hmong	i		MOTOR VEHIC	LE CRASHES	
TAMALINITZATIONO		Other/Unknown	•	•	Note: These data are I		
Children in Grades K-12 by		Birthweight <1,500 gm 1,500-2,499 gm	2 1		of crash, not of		
Compliance Level Compliant Non-compliant	522	2,500+ gm Unknown	i		Type of Motor Vehicle Crash Total Crashes	Injured 657	Killed 14
Non-compliant Percent Compliant 99	51 9.5	Perinatal Mortality	Deaths	Rate	Total Crashes Alcohol-Related With Citation: For OWI	80 55	7 0
		Total Perinatal Neonatal Fetal	7		For Speeding Motorcyclist		0
		Fetal	4	•	Bicyclist Pedestrian	7 6	0 0

Number All 612 44 143 147	Per 1,000 Pop 11.1 3.5 7.1	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capita
Number All 612 44 143	Pop 11.1 3.5	(Days)	Charge		AGE GROUP	Number				
All 612 44 143	11.1 3.5	4.6	•	σαρτία		Humber	. 00	(Dayo)	onan go	
612 44 143	3.5	4.6	010 576						•	301/2 - 301
44 143	3.5	4.6	010 EZC		Alcohol-Relate					
143		0 0	\$19,576	\$218	Total	101	1.8	4.5	\$6,698	\$12
		3.6	\$18,702	\$66	18-44	54	2.7	3.8	\$4,310	\$11
	/ . !	3.7	\$18,931	\$134	45-64	39	2.7	5.8	\$9,846	\$26
	10.1		\$18,902	\$191	Pneumonia and	Influenza			• •	
278	36.0	5.4	\$20,403	\$735	l Total	207	3.8	4.5	\$12,399	\$47
acture			·,	***	<18	12			, ,	
	1.3	5.8	\$21.480	\$28	45-64			4.2	\$13,028	\$31
			\$21,435							\$232
	0.0	0.5	Ψ21,400	Ψ100			10.7	4.5	Ψ12,011	ΨΖΟΖ
	0.8	2.0	\$6 572	\$5			3.0	3.8	\$15, 266	\$46
				οφ						\$49
20	1.1	2.0	Ψ1,000	ψΘ						\$209
									Ψ14,122	Ψ209
270	4.0	0 0	¢0 000	Φ 11	To+o1	ICCIVE PUIII		2 7	¢10 101	\$23
		0.2	Φ0,990						\$10,191	
		11.9	\$13,007			/	•	•		•
			\$7,128	\$45 \$20	18-44	3	• •	•••	Φ7.004	
					45-64					\$18
39	5.1	7.3	\$10,365	\$52		81	10.5	4.2	\$11,514	\$121
									.	**
									\$5,271	\$3
					18-44	26	1.3	3.6	\$4,999	\$6
		3.0	\$29,272							
236	30.6	3.9	\$31,909	\$976		izations.				
							130.4	3.8	\$13,073	\$1,705
sms (Can	cers):	All				1,077			\$6,522	\$565
	5.0	4.7	\$19,340	\$97						\$836
13						1,544	106.4	3.6	\$15,661	\$1,666
120	8.3	4.2	\$20,284	\$168	65+	2,780	360.4	4.5	\$16,352	\$5,893
141	18.3					,			• •	. ,
	st (ra	tes for	femále po	opulation)	P	REVENTABLE	HOSPI1	ALIZATI	ONS*	
										\$166
			= , - = -	Ŧ · -				2.2		\$24
	0.6	7.6	\$27.923	\$17					\$10.125	\$36
		7.8	\$27,923	·					\$11.250	\$147
	0.0	,	Ψ <i>L1</i> , 0 <i>L</i> 0	ΨΟΟ			68.3			\$769
30	0.5	44	\$17,352	\$0	69.	321	00.0	4.0	Ψ11,254	Ψ103
00	0.5	7.7	Ψ17,002	ΨΘ						
					* Hospitalization	s for cond	itions	where t	imely and	effectiv
75	1.4	5.1	\$16,426	\$22	ambulatory care o	an reduce	the lik	celihood	of hospi	talizatio
32	4.1	5.4	\$16,746	\$69	1				•	
			•	•						
	275 13 120 141 ale Brea 28 o-rectal 34 27 g 30	66 8.6 ings 45 0.8 23 1.1 270 4.9 60 4.8 129 6.4 42 2.9 39 5.1 isease 402 7.3 147 10.1 236 30.6 sms (Cancers): 275 5.0 13 . 120 8.3 141 18.3 ale Breast (ra 28 1.0 o-rectal 34 0.6 27 3.5 g 30 0.5	66 8.6 5.9 ings 45 0.8 2.0 23 1.1 2.0 270 4.9 8.2 60 4.8 11.9 129 6.4 7.5 42 2.9 5.9 39 5.1 7.3 isease 402 7.3 3.5 147 10.1 3.0 236 30.6 3.9 sms (Cancers): All 275 5.0 4.7 13 120 8.3 4.2 141 18.3 5.0 ale Breast (rates for 28 1.0 2.3 o-rectal 34 0.6 7.6 27 3.5 7.8 g 30 0.5 4.4	66 8.6 5.9 \$21,435 ings 45 0.8 2.0 \$6,572 23 1.1 2.0 \$7,850 270 4.9 8.2 \$8,998 60 4.8 11.9 \$13,657 129 6.4 7.5 \$7,128 42 2.9 5.9 \$6,813 39 5.1 7.3 \$10,365 isease 402 7.3 3.5 \$30,703 147 10.1 3.0 \$29,272 236 30.6 3.9 \$31,909 sms (Cancers): All 275 5.0 4.7 \$19,340 13 120 8.3 4.2 \$20,284 141 18.3 5.0 \$17,419 ale Breast (rates for female por 28 1.0 2.3 \$12,625 0-rectal 34 0.6 7.6 \$27,923 27 3.5 7.8 \$27,923 g 30 0.5 4.4 \$17,352	66 8.6 5.9 \$21,435 \$183 ings 45 0.8 2.0 \$6,572 \$5 23 1.1 2.0 \$7,850 \$9 270 4.9 8.2 \$8,998 \$44 60 4.8 11.9 \$13,657 \$66 129 6.4 7.5 \$7,128 \$45 42 2.9 5.9 \$6,813 \$20 39 5.1 7.3 \$10,365 \$52 isease 402 7.3 3.5 \$30,703 \$225 147 10.1 3.0 \$29,272 \$296 236 30.6 3.9 \$31,909 \$976 sms (Cancers): All 275 5.0 4.7 \$19,340 \$97 13 120 8.3 4.2 \$20,284 \$168 141 18.3 5.0 \$17,419 \$318 ale Breast (rates for female population) 28 1.0 2.3 \$12,625 \$13 o-rectal 34 0.6 7.6 \$27,923 \$17 27 3.5 7.8 \$27,923 \$98 g 30 0.5 4.4 \$17,352 \$9	66 8.6 5.9 \$21,435 \$183 45 0.8 2.0 \$6,572 \$5 23 1.1 2.0 \$7,850 \$9 45-64 65+ Chronic Obstrut 70tal 60 4.8 11.9 \$13,657 \$66 129 6.4 7.5 \$7,128 \$45 42 2.9 5.9 \$6,813 \$20 39 5.1 7.3 \$10,365 \$52 isease 402 7.3 3.5 \$30,703 \$225 147 10.1 3.0 \$29,272 \$296 236 30.6 3.9 \$31,909 \$976 Sms (Cancers): All 275 5.0 4.7 \$19,340 \$97 13 120 8.3 4.2 \$20,284 \$168 141 18.3 5.0 \$17,419 \$318 ale Breast (rates for female population) 28 1.0 2.3 \$12,625 \$13 0-rectal 34 0.6 7.6 \$27,923 \$17 27 3.5 7.8 \$27,923 \$98 9 30 0.5 4.4 \$17,352 \$9 * Hospitalization ambulatory care of the control	66	66 8.6 5.9 \$21,435 \$183 ings 45 0.8 2.0 \$6,572 \$5 23 1.1 2.0 \$7,850 \$9 270 4.9 8.2 \$8,998 \$44 665	66 8.6 5.9 \$21,435 \$183	66 8.6 5.9 \$21,435 \$183 65+ 142 18.4 4.9 \$12,611 ings